


NOTES:

1. COMMON WIRE TO BE WHITE & CONTROL WIRE TO BE BLACK IN COLOR UNLESS OTHERWISE NOTED.
2. NO SPLICES SHALL BE MADE BETWEEN CONTROLLER & REMOTE CONTROL VALVE UNLESS OTHERWISE APPROVED.
3. CONTROL WIRING SEQUENCE CORRESPONDS TO OPERATING SEQUENCE OF REMOTE CONTROL VALVES & AUTOMATIC SPRINKLER UNIT STATION CONNECTION—SEE IRRIGATION PLAN FOR CORRECT VALVE SEQUENCE.
4. WHEN USING RAIN GUARD LOCATE CONTROLLER IN A WAY NOT TO BE SPRAYED BY SPRINKLER.


DRAWN BY: KGE	CITY OF PASO ROBLES ENGINEERING DIVISION	DRAWING NO.
DESIGNED BY: JF	TYPICAL AUTOMATIC CONTROLLER	L-1
DATE: 05/12		
FILE NAME: PR-L-2.DWG		



NOTES:

1. COMMON WIRE TO BE WHITE & CONTROL WIRE TO BE BLACK IN COLOR UNLESS OTHERWISE NOTED.
2. NO SPLICES SHALL BE MADE BETWEEN CONTROLLER & REMOTE CONTROL VALVE UNLESS OTHERWISE APPROVED.
3. CONTROL WIRING SEQUENCE CORRESPONDS TO OPERATING SEQUENCE OF REMOTE CONTROL VALVES & AUTOMATIC SPRINKLER UNIT STATION CONNECTION-SEE IRRIGATION PLAN FOR CORRECT VALVE SEQUENCE.
4. WHEN USING RAIN GUARD LOCATE CONTROLLER IN A WAY NOT TO BE SPRAYED BY SPRINKLER.

DRAWN BY: KGE	CITY OF PASO ROBLES ENGINEERING DIVISION	DRAWING NO.
DESIGNED BY: JF		
DATE: 05/12	ELECTRICAL METER (PEDESTAL)	L-2
FILE NAME: PR-L-3.DWG		



* NOTE: ANY TREE PLANTED WITHIN SIX FEET OF ANY SIDEWALK, DRIVEWAY, CURB, OR GUTTER MUST BE PROVIDED WITH A 24" MIN. ROOT CONTROL BARRIER.

DRAWN BY: KGE DESIGNED BY: JF DATE: 07/13 FILE NAME: PR-L-3.DWG	CITY OF PASO ROBLES ENGINEERING DIVISION	DRAWING NO.
STREET TREE PLANTING		L-3